

UNITED STATES OF AMERICA  
DEPARTMENT OF TRANSPORTATION  
FEDERAL AVIATION ADMINISTRATION

# Air Agency Certificate

*Number* V48Y426B

*This certificate is issued to*

VIETNAM AIRLINES ENGINEERING COMPANY LTD.  
D/B/A VAECO

*whose business address is*

NOI BAI INTERNATIONAL AIRPORT  
HANOI, VIETNAM

*upon finding that its organization complies in all respects  
with the requirements of the Federal Aviation Regulations  
relating to the establishment of an Air Agency, and is  
empowered to operate an approved* REPAIR STATION

*with the following ratings:*

LIMITED - ENGINE  
LIMITED - AIRFRAME  
LIMITED - ACCESSORIES  
LIMITED - EMERGENCY EQUIPMENT  
LIMITED - NONDESTRUCTIVE INSPECTION, TESTING & PROCESSING

*This certificate, unless canceled, suspended, or revoked,  
shall continue in effect* UNTIL OCTOBER 31, 2019

*Date issued:*

ORIGINAL:  
DECEMBER 31, 2010

*By direction of the Administrator*

*Alfonso Gamarras*  
FOR  
MONICO ROBLES  
ACTING MANAGER, LAX-IFO (FS-58)

This Certificate is not Transferable, AND ANY MAJOR CHANGE IN THE BASIC FACILITIES, OR IN THE LOCATION THEREOF,  
SHALL BE IMMEDIATELY REPORTED TO THE APPROPRIATE REGIONAL OFFICE OF THE FEDERAL AVIATION ADMINISTRATION

Table of Contents

Part A

	HQ CONTROL DATE	EFFECTIVE DATE	AMENDMENT NUMBER
001 Issuance and Applicability	02/11/2016	09/05/2017	3
002 Definitions and Abbreviations	02/11/2016	09/05/2017	2
003 Ratings and Limitations	04/03/2017	08/08/2018	9
004 Summary of Special Authorizations and Limitations	09/23/1998	06/14/2011	1
007 Designated Persons	12/19/2006	09/06/2017	4
025 Electronic/Digital Recordkeeping System, Electronic/Digital Signature, and Electronic Media	04/03/2017	09/05/2017	2

**A001 . Issuance and Applicability**

**HQ Control: 02/11/2016**

**HQ Revision: 05e**

a. These operations specifications are issued to VIETNAM AIRLINES ENGINEERING COMPANY LTD, a Repair Station, located outside the United States, pursuant to 14 CFR Part 145, § 145.53. The repair station certificate holder shall conduct operations in accordance with 14 CFR Part 145 and these operations specifications.

The certificate holder's address:

Fixed Location:  
Noi Bai International Airport  
Hanoi, Ha Noi, thu do 00000  
Viet Nam

Mailing Address:  
Noi Bai International Airport  
Hanoi, Ha Noi, thu do, Viet Nam  
00000

b. The holder of these operations specifications is the holder of certificate number V48Y426B and shall hereafter be referred to as the "certificate holder".

c. These operations specifications are issued as part of this repair station certificate and are in effect as of the date approval is effective. This certificate and these operations specifications shall remain in effect until the expiration date on the issued certificate for a repair station that is located outside the United States unless previously surrendered, suspended, or revoked.

e. The certificate holder is authorized to conduct the operations described in subparagraph a under the following other business names:

VAECO

Delegated authorities: None

1. Issued by the Federal Aviation Administration.
2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Art J Muzzicato, Principal Maintenance Inspector (FS58)

[1] SUPPORT INFO: Non-mandatory template change

[2] EFFECTIVE DATE: 9/5/2017, [3] AMENDMENT #: 3

DATE: 2017.09.05 13:21:26 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

A handwritten signature in blue ink, appearing to read "Ha, Tien Dung", written over a horizontal line.

09/06/2017

Ha, Tien Dung, Director, Quality Assurance Department

Date

**A002 . Definitions and Abbreviations**

**HQ Control: 02/11/2016**

**HQ Revision: 05c**

Unless otherwise defined in these operations specifications, all words, phrases, definitions, and abbreviations have identical meanings to those used in 14 CFR and 49 U.S.C., as cited in Public Law 103-272, as amended. Additionally, the definitions listed below are applicable to operations conducted in accordance with these operations specifications.

<b>BASA</b>	The Bilateral Aviation Safety Agreement (BASA) is an executive agreement concluded between the United States and a foreign country for the purpose of promoting aviation safety; also known as an Agreement for the Promotion of Aviation Safety.
<b>Certificate Holder</b>	In these operations specifications, the term "certificate holder" means the holder of the repair station certificate described in these operations specifications in Part A paragraph A001 and any of its officers, employees, or agents used in the conduct of operations under this certificate.
<b>CFR</b>	Code of Federal Regulations
<b>Class rating</b>	As used with respect to the certification, ratings, privileges, and limitation of aircraft within a category having similar operating characteristics.
<b>EASA</b>	European Aviation Safety Agency
<b>EASA Accountable Manager</b>	The manager who has corporate authority for ensuring that all maintenance required by the customer can be financed and carried out to the standard required by the EASA full-member Authority.
<b>EU</b>	European Union
<b>Exemption</b>	An authorization that permits an alternate means of compliance with a specific CFR. The exemption must meet the procedural requirements of 14 CFR Part 11.
<b>FOCA</b>	Federal Office of Civil Aviation
<b>FAA Accountable Manager</b>	A person designated by the certificated repair station who is responsible for and has authority over all repair station operations that are conducted under 14 CFR Part 145, including ensuring that the repair station's personnel follow the regulations and serving as the primary contact with the FAA.
<b>Geographic</b>	An approval provided to a repair station located outside the United

<b>Authorization</b>	States to perform maintenance support under contract for a U.S. air carrier (or an operator of U.S.- registered aircraft under 14 CFR Part 129) at a location other than the repair station facility. A geographic authorization is issued by the FAA to respond to a U.S. air carrier's or Part 129 foreign operator's need for maintenance at a station where the frequency and scope of that maintenance does not warrant permanently staffing and equipping the station for its accomplishment.
<b>Limited Rating</b>	A rating issued to repair stations for the performance of maintenance on particular makes and models of airframes, powerplants, propellers, radios, instruments, accessories, and/or parts.
<b>Limited Ratings - Specialized Services</b>	Rating issued for a special maintenance function when the function is performed in accordance with a specification approved by the Administrator.
<b>Line Maintenance</b>	Any unscheduled maintenance resulting from unforeseen events, or scheduled checks where certain servicing and/or inspections do not require specialized training, equipment, or facilities.
<b>MAG</b>	The Maintenance Annex Guidance (MAG) defines the process that the FAA and EASA undertake in the inspection, findings of compliance certification, and monitoring of repair stations, as well as their joint cooperation in quality assurance and standardization activities in support of the Agreement, Annex 2, Maintenance.
<b>Maintenance</b>	The inspection, overhaul, repair, preservation, and replacement of parts, but excludes preventive maintenance.
<b>U.S./EU Aviation Safety Agreement, Annex 2, Maintenance</b>	Annex 2 covers the reciprocal acceptance of findings of compliance, approvals, documentation and technical assistance regarding approvals and the monitoring of repair stations/maintenance organizations.
<b>MIP</b>	Maintenance Implementation Procedures (MIP) are procedures for implementing the provisions of a BASA that apply to maintenance.
<b>MOE</b>	A maintenance organization exposition (MOE) pertains to EASA member countries that use an MOE in place of a Repair Station Manual (RSM) and a Quality Control Manual (QCM).
<b>Preventive Maintenance</b>	As defined in 14 CFR part 1 and part 43 appendix A, subparagraph (c).
<b>QCM</b>	Quality Control Manual
<b>Repair Station located in the United States</b>	A certificated repair station located in the United States.

**Repair Station located outside the United States** A certificated repair station located outside of the United States.


**RSM** Repair Station Manual

1. Issued by the Federal Aviation Administration.
2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Art J Muzzicato, Principal Maintenance Inspector (FS58)  
[1] SUPPORT INFO: Non-mandatory template change  
[2] EFFECTIVE DATE: 9/5/2017, [3] AMENDMENT #: 2  
DATE: 2017.09.05 13:22:30 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.



09/06/2017

Ha, Tien Dung, Director, Quality Assurance Department      Date

**A003 . Ratings and Limitations**

**HQ Control: 04/03/2017**

**HQ Revision: 01a**

The certificate holder is authorized the following Ratings and/or Limitations:

**Class Ratings**

None authorized

**Limited Ratings**

<b><u>Rating</u></b>	<b><u>Manufacturer</u></b>	<b><u>Make/Model</u></b>	<b><u>Limitations</u></b>
Airframe	Boeing	B777-200, B777-200ER	Limited to maintenance, preventive maintenance, alterations and inspections up to and including checks to be performed at every 24,000 Flight Hours or 6,000 days or 32,000 Cycles or equivalent.
Airframe	Boeing	B737-700/800	Limited to the performance of line maintenance type inspections/checks, servicing, and repairs.
Airframe	Boeing	B-787-9	Limited to maintenance, preventive maintenance, alterations and inspections up to and including checks to be performed at every 12,000 Flight Hours or 5,000 Cycles or 24 Months Years or equivalent.
Airframe	Airbus	A320 and A321 Series	Limited to maintenance, preventive maintenance, alterations and inspections up to and including checks to be performed at every 41,200 Flight Hours or 27,400 Cycles or 12 Years or equivalent.
Airframe	Airbus	A330-200, A330-300	Limited to maintenance, preventive maintenance, alterations and inspections up to and including checks to be performed at every 35,000 Flight Hours or 13,200 Cycles or 6 Years or equivalent.
Airframe	Airbus	A-350-900	Limited to maintenance, preventive maintenance, alterations and inspections up to and including checks to be performed at every 24,000 Flight Hours or 6,000 Cycles or 48 Months or equivalent.
Engines	CFM International	CFM56 Series	Limited to maintenance, preventive maintenance and alteration excluding overhaul, IAW current air carrier manual, engine



<b><u>Rating</u></b>	<b><u>Manufacturer</u></b>	<b><u>Make/Model</u></b>	<b><u>Limitations</u></b>
Engines	International Aero Engines	V2500 Series	maintenance manual, and/or other data acceptable to the FAA. Limited to maintenance, preventive maintenance and alteration excluding overhaul, IAW current air carrier manual, engine maintenance manual, and/or other data acceptable to the FAA.
Engines	General Electric	GE90-94B, GE90-90B	Limited to maintenance, preventive maintenance and alteration excluding overhaul, IAW current air carrier manual, engine maintenance manual, and/or other data acceptable to the FAA.
Engines	General Electric	GENx-1B	Limited to maintenance, preventive maintenance and alteration excluding overhaul, IAW current air carrier manual, engine maintenance manual, and/or other data acceptable to the FAA.
Engines	Pratt & Whitney	PW4168, PW4168A, PW4170, PW4084D, PW4090	Limited to maintenance, preventive maintenance and alteration excluding overhaul, IAW current air carrier manual, engine maintenance manual, and/or other data acceptable to the FAA.
Engines	Rolls Royce	Trent XWB	Limited to maintenance, preventive maintenance and alteration excluding overhaul, IAW current air carrier manual, engine maintenance manual, and/or other data acceptable to the FAA.
Accessories	From the accepted Capability List, as amended.	From the accepted Capability List, as amended.	From the accepted VAECO capability list manual, as revised.
Emergency Equipment	From the accepted Capability List, as amended.	From the accepted Capability List, as amended.	From the accepted VAECO capability list manual, as revised.
Nondestructive Inspection, Testing, and Processing	Eddy Current		In accordance with AMS 2658, current manufacturer's maintenance manuals, NDT manuals as revised, or other data accepted/approved by the FAA. All Nondestructive Testing personnel qualifications and certification shall be in accordance with NAS 410 or equivalent.
Nondestructive Inspection, Testing, and Processing	Liquid Penetrant Inspection		In accordance with ASTM E1417, current manufacturer's maintenance manuals, NDT manuals as revised, or other data accepted/approved by the FAA. All Nondestructive Testing personnel qualifications and certification shall be in accordance with NAS 410 or equivalent.

<u>Rating</u>	<u>Manufacturer</u>	<u>Make/Model</u>	<u>Limitations</u>
Nondestructive Inspection, Testing, and Processing	Magnetic Particle Inspection		In accordance with ASTM E1444, current manufacturer's maintenance manuals, NDT manuals as revised, or other data accepted/approved by the FAA. All Nondestructive Testing personnel qualifications and certification shall be in accordance with NAS 410 or equivalent.
Nondestructive Inspection, Testing, and Processing	Ultrasonic Inspection		In accordance with ASTM E317, current manufacturer's maintenance manuals, NDT manuals as revised, or other data accepted/approved by the FAA. All Nondestructive Testing personnel qualifications and certification shall be in accordance with NAS 410 or equivalent.

**Limited Ratings - Specialized Services**

<u>Rating</u>	<u>Specifications</u>	<u>Limitations</u>
None Authorized		

1. The Certificate Holder applies for the Operations in this paragraph.
2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Deron N Kong on behalf of Hyndman, John C., Principal Maintenance Inspector (FS58)  
[1] SUPPORT INFO: Added B-787-9, A350-900, GENx-1B, Trent XWB and updated limitations for A320/321 and A330 to better reflect MPD. See SAS entry by PMI for approval of these changes.  
[2] EFFECTIVE DATE: 8/8/2018, [3] AMENDMENT #: 9  
DATE: 2018.08.08 08:53:11 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

A handwritten signature in blue ink, appearing to read "Ha, Tien Dung".

08 Aug 2018

Ha, Tien Dung, Director, Quality Assurance Department      Date

**A004 . Summary of Special Authorizations and Limitations**

**HQ Control: 09/23/1998**

**HQ Revision: 010**

**a. The certificate holder, in accordance with the reference paragraphs, is authorized to:**

	Reference Paragraphs
Use an approved electronic recordkeeping system, electronic/digital signature, and/or electronic media.	A025
Perform work, excluding continuous operations, at additional locations other than at its primary Fixed Location.	D100

**b. The certificate holder is *not authorized and shall not:***

	Reference Paragraphs
Use Exemptions.	A005
Perform maintenance with NAA ratings where the scope of work is authorized by a BASA/MIP.	A060
Perform work, including continuous operations, at additional locations other than at its primary fixed location.	A101
Conduct operations choosing to have an antidrug and alcohol misuse prevention program.	A449
Perform maintenance in accordance with foreign repair station geographic authorizations.	B050
Perform line maintenance for cert. holders conducting operations under Parts 121 and 135 and for foreign carriers/persons operating U.S. registered aircraft in common carriage under Part 129, apart from D100 which authorizes that work away from station.	D107

1. Issued by the Federal Aviation Administration .
2. Support information reference:
3. These Operations Specifications are approved by direction of the Administrator.



2011.06.14 21:46:31 Central Daylight Time  
Location: WebOPSS  
Digitally signed by John Gilbert, Principal  
Maintenance Inspector (WP33)

4. Date Approval is effective: 06/14/2011 Amendment Number: 1
5. I hereby accept and receive the Operations Specifications in this paragraph.

Tran, Van Dong, CEO

A handwritten signature in blue ink, appearing to read "Tran, Van Dong".

Date: 06/14/2011

---

**A007 . Designated Persons**

**HQ Control: 12/19/2006**

**HQ Revision: 030**

a. The personnel listed in the following table are designated to officially apply for and receive operations specifications for the certificate holder indicated below.

**Table 1 – Designated Persons to Apply for and Receive Authorizations**

Title	Name	Parts Authorized
FAA Accountable Manager, 145 / CEO	Mai, Tuan Anh	A,D
Director, Quality Assurance Department	Ha, Tien Dung	A,D

b. The following personnel listed in Table 2 are designated by the certificate holder to receive Information for Operators (INFO) messages for the certificate holder as indicated below. A receipt for the information by an operator or person is not required.

**Table 2 – Designated to Receive INFO Messages**

Name	Email Address	Telephone No.	Type of Information to Receive
Ha, Tien Dung	dunght.vaeco@vietnamairlines.com	84903202744	ALL

1. The Certificate Holder applies for the Operations in this paragraph.
2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Art J Muzzicato, Principal Maintenance Inspector (FS58)

[1] SUPPORT INFO: Update CEO

[2] EFFECTIVE DATE: 9/6/2017, [3] AMENDMENT #: 4

DATE: 2017.09.06 10:00:24 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.



09/06/2017

Ha, Tien Dung, Director, Quality Assurance Department      Date

**A025 . Electronic/Digital Recordkeeping System,  
Electronic/Digital Signature, and Electronic Media**

**HQ Control: 04/03/2017**

**HQ Revision: 00b**

a. The certificate holder is authorized to use an acceptable electronic/digital recordkeeping system, described and/or referenced in this paragraph (if none, enter N/A.)

N/A

b. The certificate holder is authorized the use of the following electronic/digital signature procedures (if none, enter "N/A").

N/A

c. The certificate holder is authorized to use electronic media for the repair station and quality control manuals, if acceptable (if none, enter "N/A").

In accordance with VAECO RSQCM Chapter 1. Distribution of RSQCM on the VAECO intranet system is acceptable.

1. Issued by the Federal Aviation Administration.

2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Art J Muzzicato, Principal Maintenance Inspector (FS58)

[1] SUPPORT INFO: Non-mandatory template change

[2] EFFECTIVE DATE: 9/5/2017, [3] AMENDMENT #: 2

DATE: 2017.09.05 13:24:21 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

A handwritten signature in blue ink, appearing to read "Ha, Tien Dung".

09/06/2017

Ha, Tien Dung, Director, Quality Assurance Department      Date

Table of Contents

Part D

	HQ CONTROL DATE	EFFECTIVE DATE	AMENDMENT NUMBER
100 Work to be Performed at a Place Other Than the Repair Station Fixed Location(s)	11/16/2004	06/14/2011	0

**D100 . Work to be Performed at a Place Other Than the Repair Station Fixed Location(s)** HQ Control: 11/16/2004  
HQ Revision: 050

- a. The certificate holder may perform work at a place other than its Fixed Location (as listed in paragraph A001, and paragraph A101 if issued, of these operations specifications) provided it has the facilities, material, equipment and technical personnel to perform the work authorized in the following table.

**Table 1**

<b>Work Authorized</b>	<b>Repair Stations Manual References</b>	<b>Quality Control Manual References</b>
As indicated in Ops Spec A003.	Chapter 11	N/A

- b. The certificate holder **may not** perform **continuous** operation at a facility other than the station's Fixed Location listed in paragraph A001, and paragraph A101 if issued.
- c. Line Stations . Privileges of a line station, as set forth by the EASA certificate and scope of work and located within the country where the main facility is domiciled are listed in Table 1 are authorized.
- d. Work may be due to a special circumstance or on a recurring basis. If on a recurring basis, the repair station must have procedures in its manual.



1. Issued by the Federal Aviation Administration .
2. Support information reference:
3. These Operations Specifications are approved by direction of the Administrator.



2011.06.14 21:52:51 Central Daylight Time  
Location: WebOPSS  
Digitally signed by John Gilbert, Principal  
Maintenance Inspector (WP33)

4. Date Approval is effective: 06/14/2011 Amendment Number: 0
5. I hereby accept and receive the Operations Specifications in this paragraph.

Tran, Van Dong, CEO

A handwritten signature in blue ink, appearing to read "Tran, Van Dong".

Date: 06/14/2011

---